

Package: rollbar (via r-universe)

November 1, 2024

Type Package

Title Error Tracking and Logging

Version 0.1.0

Date 2016-05-12

Description Reports errors and messages to Rollbar, the error tracking platform <<https://rollbar.com>>.

URL <https://github.com/ankane/rollbar-r>

BugReports <https://github.com/ankane/rollbar-r/issues>

License MIT + file LICENSE

RoxygenNote 7.2.3

Encoding UTF-8

Imports htr

Repository <https://ankane.r-universe.dev>

RemoteUrl <https://github.com/ankane/rollbar-r>

RemoteRef HEAD

RemoteSha 80456bbaa3f50edb91f4bd71a5bc0ecea6bb23d

Contents

rollbar.attach	2
rollbar.configure	2
rollbar.critical	2
rollbar.debug	3
rollbar.error	3
rollbar.info	4
rollbar.log	4
rollbar.warning	5

Index	6
--------------	----------

`rollbar.attach` *Attach the global error handler*

Description

Attach the global error handler

Usage

```
rollbar.attach()
```

`rollbar.configure` *Configure the library*

Description

Configure the library

Usage

```
rollbar.configure(access_token = NULL, env = NULL, root = NULL)
```

Arguments

<code>access_token</code>	Access token from your Rollbar project
<code>env</code>	Environment name. Any string up to 255 chars is OK. For best results, use "production" for your production environment.
<code>root</code>	Absolute path to the root of your application, not including the final /

`rollbar.critical` *Report critical errors*

Description

Report critical errors

Usage

```
rollbar.critical(message, extra = NULL)
```

Arguments

<code>message</code>	The message or error
<code>extra</code>	Extra data

rollbar.debug	<i>Report debug messages</i>
---------------	------------------------------

Description

Report debug messages

Usage

```
rollbar.debug(message, extra = NULL)
```

Arguments

message	The message or error
extra	Extra data

rollbar.error	<i>Report errors</i>
---------------	----------------------

Description

Report errors

Usage

```
rollbar.error(message, extra = NULL)
```

Arguments

message	The message or error
extra	Extra data

rollbar.info *Report info messages*

Description

Report info messages

Usage

```
rollbar.info(message, extra = NULL)
```

Arguments

message	The message or error
extra	Extra data

Examples

```
rollbar.info("Job successful")  
rollbar.info("Job successful", list(job_id=123, awesome="yes"))
```

rollbar.log *Report messages*

Description

Report messages

Usage

```
rollbar.log(level, message, extra = NULL)
```

Arguments

level	The "error" level
message	The message or error
extra	Extra data

Examples

```
rollbar.log("info", "Job successful")  
rollbar.log("info", "Job successful", list(job_id=123, awesome="yes"))
```

<code>rollbar.warning</code>	<i>Report warnings</i>
------------------------------	------------------------

Description

Report warnings

Usage

```
rollbar.warning(message, extra = NULL)
```

Arguments

<code>message</code>	The message or error
<code>extra</code>	Extra data

Index

`rollbar.attach`, 2
`rollbar.configure`, 2
`rollbar.critical`, 2
`rollbar.debug`, 3
`rollbar.error`, 3
`rollbar.info`, 4
`rollbar.log`, 4
`rollbar.warning`, 5